Public administration's instruction for the acceptance of electronic invoices compliant with the semantic data model given in Directive 2014/55

With effect from April 2019, the public administration will accept those electronic invoices whose data content corresponds with that of the semantic model. Invoices whose data content complies with the semantic model may be sent to central government. The first of April 2020 the public administration will only accept e-invoices whose data content corresponds with that of the semantic model

The sender of an electronic invoice shall use versions Finvoice 3.0 or TEAPPSXML 3.0 of the national descriptions or the syntax specified in the EU standard (EN 16931-1:2017) in accordance with the guidelines contained in the ISO/IEC 19845 (<u>UBL 2.1</u>) and UN/CEFACT XML <u>Cross Industry Invoice D16B standard</u>.

The obligatory fields in the national format must be completed in accordance with the descriptions, for example invoice number and invoice date, so that the invoices provide the information required in a VAT invoice.

The EU standard's codes are to be used in invoices unless the seller and buyer agree otherwise. Codes in accordance with EU standards must always be used in national invoices.

The public administration's detailed requirements for national electronic invoice descriptions are given in the table below. Further information and guidelines can be found on the State Treasury's web pages.

The broader contents of the invoice i.e. the information content of summary invoices must be be agreed separately between the buyer and seller.

| EN16931 | FINVOICE | TEAPPSXML | Public administration recommendation | |
|------------|---|---|---|--|
| At the inv | At the invoice level | | | |
| BT-24 | SpecificationIdentifier | HEADER/SPECIFICATION_ID | Obligatory field for the semantic model. The value "EN16931" is given to public administration invoices | |
| BT-1 | InvoiceNumber | HEADER/INVOICE_ID | Invoice number | |
| BT-2 | InvoiceDate | HEADER/INVOICE_DATE/DATE | Invoice date | |
| BT-27 | SellerOrganisationName | PAYEE/CUSTOMER_INFORMATION/CUSTOMER_NAME | Seller organisation's name | |
| BT-31 | SellerOrganisationTaxCode | PAYEE/CUSTOMER_INFORMATION/VAT_NUMBER | Seller VAT number. Mandatory if invoice contain VAT-sales | |
| BG-5 | SellerPostalAddressDetails + SellerStreetName + SellerTownName + SellerPostCodeIdentifier + CountryCode | PAYEE/CUSTOMER_INFORMATION/ADDRESS/STREET_ADDRESS1, STREET_ADDRESS2, STREET_ADDRESS3 PAYEE/CUSTOMER_INFORMATION/ADDRESS/POST_OFFICE PAYEE/CUSTOMER_INFORMATION/ADDRESS/POSTAL_CODE PAYEE/CUSTOMER_INFORMATION/ADDRESS/COUNTRY_CODE PAYEE/CUSTOMER_INFORMATION/ADDRESS/COUNTRY | The seller's address information must be given in order for the invoice to meet VAT requirements. | |
| BT-44 | BuyerOrganisationName | RECEIVER/CUSTOMER_INFORMATION/CUSTOMER_NAME | Buyer organisation's name | |
| BG-8 | BuyerPostalAddressDetails + BuyerStreetName + BuyerTownName + BuyerPostCodeldentifier + CountryCode | RECEIVER/CUSTOMER_INFORMATION/ADDRESS/STREET_ADDRESS1, STREET_ADDRESS2, STREET_ADDRESS3 RECEIVER/CUSTOMER_INFORMATION/ADDRESS/POST_OFFICE RECEIVER/CUSTOMER_INFORMATION/ADDRESS/POSTAL_CODE RECEIVER/CUSTOMER_INFORMATION/ADDRESS/COUNTRY_CODE | The buyer's address information must be given in order for the invoice to meet VAT requirements. | |
| BT-3 | InvoiceTypeCodeUN | HEADER/INVOICE_TYPE/@UNTDID_CODE | Obligatory field according to the semantic model, however processing reception of an invoice is based on the InvoiceTypeCode value. Example of codes used: 380=Commercial invoice 381=Credit note 632=Goods receipt | |
| BG-23 | VatSpecificationDetails | SUMMARY/VAT_SUMMARY - structure | Obligatory information in the invoice relating to VAT data. | |

| BT-116 | VatBase Amount | SUMMARY/VAT_SUMMARY[1- | Obligatory field for the semantic model. |
|---|---|--|--|
| | | n]/ACCORDING/AMOUNT[@VAT="EXCLUDED"] | |
| BT-117 | VatRateAmount | SUMMARY/VAT_SUMMARY[1-n]/VAT_RATE_TOTAL/AMOUNT | Obligatory field for the semantic model. |
| BT-118 | VatCode | SUMMARY/VAT_SUMMARY[1-n]/@VAT_TYPE | Obligatory field for the semantic model. The Commission will make a joint recommendation for tax codes to be used in Europe. |
| BT-106 | RowsTotalVatExcludedAmount | SUMMARY/ROWS_TOTAL/AMOUNT[@VAT="EXCLUDED"] | Obligatory field for the semantic model. |
| BT-109 | InvoiceTotalVatExcludedAmount | SUMMARY/INVOICE_TOTAL_WITHOUT_ADVANCE_PAYMENT/ AMOUNT[@VAT="EXCLUDED"] the invoice does not include prepayments, the same as SUMMARY/INVOICE_TOTAL/AMOUNT[@VAT="EXCLUDED"] | Obligatory field for the semantic model. |
| BT-110 | InvoiceTotalVatAmount | SUMMARY/VAT_TOTAL/AMOUNT | Total amount of VAT related to the invoice. The VAT requirement. |
| BT-112 | InvoiceTotalVatIncludedAmount | SUMMARY/INVOICE_TOTAL_WITHOUT_ADVANCE_PAYMENT/ AMOUNT[@VAT="INCLUDED"] the invoice does not include prepayments, the same as SUMMARY/INVOICE_TOTAL/AMOUNT[@VAT="INCLUDED"] | The amount and the currency code are obligatory fields for the semantic model. |
| BT-5 | InvoiceTotalVatIncludedAmount/ AmountCurrencyIdentifier | HEADER/CURRENCY/CODE | Invoice currency |
| BT-81 | EpiPaymentMeansCode | PAYEE/PAYMENT_MEANS/@PAYMENT_MEANS_CODE | Obligatory field for the semantic model. Must use codes in accordance with the semantic model: 58 = SEPA credit transfer 59 = SEPA direct debit 54 = Credit card 55 = Debit card Other codes are processed as code 58. |
| BT-115 | EpilnstructedAmount | SUMMARY/INVOICE_TOTAL/AMOUNT[@VAT="INCLUDED"] or if not exist SUMMARY/INVOICE_TOTAL/AMOUNT[@VAT="EXCLUDED"] if e- invoice is without VAT. | Obligatory field for the semantic model |
| The following information in accordance with the semantic model is obligatory at the invoice row level. | | | |
| BT-153 | ArticleName | ROW/ARTICLE/ARTICLE_NAME | |

| BT-126 | RowPositionIdentifier | ROW/ROW_NUMBER | |
|------------|---|--|--|
| BT-129 | InvoicedQuantity | ROW/QUANTITY/CHARGED | |
| BT-148 | UnitPriceAmount | ROW/PRICE_PER_UNIT/AMOUNT[@VAT="EXCLUDED"] | The VAT requirement.: The unit price, exclusive of VAT, before subtracting item price discount |
| BT-130 | Attribute: QuantityUnitCodeUN | ROW/QUANTITY/CHARGED/@Q_UNIT_UNECE_CODE | |
| BT-131 | RowVatExcludedAmount | ROW/ROW_TOTAL/AMOUNT[@VAT="EXCLUDED"] | |
| BT-146 | UnitPriceNetAmount | ROW/PRICE_PER_UNIT_NET/AMOUNT[@VAT="EXCLUDED"] | The price of an item, exclusive of VAT, after subracting item price discount. |
| BT-151 | RowVatCode | ROW/VAT/@VAT_TYPE | |
| Finvoice a | and TEAPPSXML mandatory elements | | |
| | InvoiceTypeCode | HEADER/INVOICE_TYPE | The processing of invoices received is based on the InvoiceTypeCode value. The recommendation is that a payment reminder should be one reminder per invoice. Material will be processed according to this field, irrespective of the EpiPaymentMeansCode value |
| | InvoiceTypeText | HEADER/SUBJECT | Text corresponding to the invoice code |
| | OriginCode | | Indicate whether the invoice is the original or a copy |
| | InvoiceRow | ROWS/ROW | An invoice must have at least one invoice row |
| | EpiBeneficiaryPartyDetails + EpiAccountID | PAYEE/BANKS/IBAN_ACCOUNT_NUMBER or BANK_ACCOUNT_NUMBER | Seller's account number |
| | EpiDate | HEADER/INVOICE_DATE/DATE | ePI creation date |
| | EpiReference | | Technical data which is obligatory according to the ePI description |
| | EpiCharge + Attribute: ChargeOption | PAYEE/METHOD_OF_PAYMENT | For SEPA payments use the value "SHA" |
| | EpiDateOptionDate | HEADER/DUE_DATE/DATE | Invoice due date |

| | se of public administration, the information invoiceClassification | HEADER/SECURITY_DETAILS -structure | Secure invoice classification. The code used is |
|-------|--|--|---|
| | IIIVOICECIASSIIICATIOII | HEADER/SECORITY_DETAILS -Structure | agreed between the buyer and seller. If |
| | | | , |
| | | | InvoiceClassification structure is used, the |
| | | | InvoiceTypeCode shall contain either value SEI01 |
| | + ClassificationCode | LIFADED (CECLIDITY DETAILS (CECDECY CLASS | (invoice) or SEI02 (credit note). SC01-SC10 |
| | | HEADER/SECURITY_DETAILS/SECRECY_CLASS | |
| | + ClassificationText | HEADER/SECURITY_DETAILS/SECRECY_DESCRIPTION | The text corresponding to the given |
| | | | CalssificationCode value e.g. "Security code 1" |
| BT-13 | Orderldentifier | HEADER/ORDER_INFORMATION[@ORDER_TYPE="CO"]/ | The data is alphanumeric. The buyer's order |
| | | ORDER_NUMBER | number is entered in this field. Obligatory |
| | | | information if the buyer has given an order |
| | | | number. |
| | | | Sales order reference issued by the seller is given |
| | | | in the SellerReferenceIdentifier field." (BT-14). |
| BT-10 | BuyerReferenceIdentifier | HEADER/ORDER_INFORMATION[@ORDER_TYPE="CO"]/ | Reference given by the buyer. If the seller cannot |
| | | ORDER_REFERENCE | use BT-12, BT-13 or BT-19 field the information is |
| | | | given in this field. |
| | The site identifier under the Act on | The site identifier under the Act on the Contractor's: | |
| | the Contractor's: | HEADER_INFO/TITLE[@INFO_TYPE= "TA0001"] | Obligatory site identifier under the Act on the |
| | InvoiceDetails/DefinitionDetails/ | | Contractor's Obligations and Liability when Work |
| | DefinitionHeaderText[@DefinitionC | | is Contracted Out, unless the guideline regarding |
| | ode= "TA0001"] | | transmitting the national site identifier is used. It |
| | | | is recommended to use the fields given in the |
| | InvoiceDetails/DefinitionDetails/ | HEADER/HEADER_INFO/CONTENT | separate guideline (DeliverySiteCode). |
| | DefinitionValue | | |
| BT-12 | AgreementIdentifier | HEADER/CONTRACT_INFORMATION/CONTRACT_NUMBER | The data is alphanumeric. The buyer's agreement |
| | | | number is entered in this field. Obligatory |
| | | | information if the buyer has given an agreement |
| | | | number. If the seller uses their own agreement |
| | | | number, the buyer's agreement number is given |
| | | | in the BuyerReferenceIdentifier field (BT-10). |
| BT-83 | EpiRemittanceInfoldentifier | PAYEE/ DETAILS OF PAYMENT/FI PAYMENT REFERENCE | Payment reference given by the seller |

| | | or IPI_REFERENCE | |
|-------|-----------------------|--|---|
| BT-17 | TenderReference | HEADER/OFFER_REFERENCE | Hankintailmoitukset.fi: gives the reference number |
| BT-19 | AccountDimensionText | HEADER/PAYER_POSTING_GROUP_DEFAULTS/POSTING_DEFAULT[1] /ACCOUNT_REFERENCE | The data is alphanumeric. Account reference given by the buyer. Obligatory information if the buyer has given an account reference. |
| BT-25 | OriginalInvoiceNumber | HEADER/CREDIT_INVOICE_NUMBER | Recommendation: a credit note should be issued for the total value of a defective invoice and then a new corrected invoice should be sent. The original invoice number is given in the credit note. |